

# DOOR CONTACT DC200



The Door Contact offers not only reliable monitoring of your doors and windows for their "OPEN" & "CLOSE" status and to alert the System Control Unit of any irregular activities, but also aesthetic design for today's modern homes. The built-in Extension Terminal allows it to be added to an existing wired sensor, thus makes it doubles as a Universal Transmitter.

## FEATURES

- Simple design for easy mounting on door frame
- Tamper protection protects the enclosure from being opened or removed from its mounting surface
- Randomized Supervision signals for trouble-free system integrity checking
- Low Battery detection
- Built-in Auxiliary Input Terminal for Enhanced Flexibility to add Wired Detectors
- Built-in Reed Switch and External Contact can be used simultaneously
- Powerful magnet that gives 30mm Space between the Door Contact and magnet
- Built-in Extension Terminal for enhanced flexibility to add wired detectors
- LED: Fault & Test Mode Indicator

## Specifications

*Power: Alkaline AAA batteries x 2*

*Battery life: 3 years or over<sup>1</sup>*

*Radio frequency : 868.6375 MHz*

*Range: over 300 meters in open space*

*Operating temperature: -20° to 50°C*

*Humidity: up to 95% non-condensing*

*Dimensions: 135 X 33 X 22 mm*

*www.elkron.com - e-mail: info@elkron.it*



*www.elkron.com - e-mail: info@elkron.it*



**ELKRON**  
THE HI-PROTECTION COMPANY