

Product Guide

International Edition



Texecom
Security has evolved

Company Profile

Texecom is Europe's largest independent security alarm specialist providing bespoke design solutions that protect people and property throughout the world. Texecom's award-winning products cover every aspect of external and internal security requirements, including a full range of motion detectors, control panels, perimeter protection devices, fire detectors and external sounders. Texecom has recently launched a new ground breaking wireless technology, Ricochet mesh networking, to universal acclaim.

Complete control for all aspects of development is ensured through design, manufacture and thorough testing of all products in state-of-the-art UK facilities. With a passion and a focus on innovation, simplicity of operation, style and reliability, product requirements are engineered into leading edge designs, outstanding in both quality and performance.


Texecom is firmly committed to providing products that exceed the demands of European and international standards. Texecom prides itself on producing innovative products, designed to exceed expectations. Every product within the range is fully compliant with the requirements of the latest European Standards.

Texecom is a Halma Company. Halma makes products for hazard detection and life protection and is a market leader in specialist electronic, safety and environmental technologies.

New Branding

Texecom has rebranded its portfolio under three brand titles that represent different types of end-user installation requirements. 'Premier Elite' for commercial applications; 'Premier' for premium residential and medium sized applications; 'Veritas' for smaller residential applications.

With this new branding, Texecom has made it easier than ever to identify the perfect product.



Texecom is a member of the Harmony Alliance:



In 2012, a group of four UK-based, world-class electronic security manufacturers united to create something never seen before - an alliance that brings together best-in-breed specialists collaborating to offer customers innovative security solutions and integration technology without sacrificing freedom of choice and forcing compromise. Through cooperative product developments, support and distribution partnerships and an open-arms approach to support, they are working to improve the customer experience for installers and end users around the world.

Collaborate – Innovate – Protect

Harmony alliance members are experts in their specialty. The alliance brings them together to develop unique solutions for customers, making each individual part of the security system work more effectively with each other part. They work with integrators to help customers solve problems, and ultimately, protect the lives, livelihoods and properties of our end-users. Visit www.harmony-alliance.com for further details.

Premier Elite Series



Control Panels	4 5
Keypads	6
Expanders	7
Communicators	8
Power Supplies/Access Control	9
Motion Detectors	10 11
Sounders	12 13
Wireless	14 15 16 17

Premier Series



The Premier Series is a range of professional electronic security products, designed to exceed worldwide security requirements. Compatible with Premier Elite Series products, the Premier Series offers a comprehensive range of high quality, high performance security solutions for medium sized installations.

Control Panels	18 19
Keypads	20
Expanders	21
Motion Detectors	22 23
Perimeter Detectors	24
External Sounders	25

Veritas Series



Veritas Series products are designed predominantly for residential or smaller installations where ease of use, ease of installation and product reliability are essential. Intuitive commissioning, simple operation and class-leading performance have all combined to establish the Veritas Series as a market leading product range.

Control Panels	26 27
Keypads	28
Motion Detectors	29

Fire Detectors	30
Software	31
Peripherals & Speech Dialler	32
Product Compliance Tables	33 34

Premier Elite Control Panels



A complete range of commercial grade, expandable, communicating control panels featuring integration compatibility with leading access control, CCTV, home automation and managed alarm-signaling providers. Each Premier Elite control panel shares the same programming platform and peripheral devices, ensuring instant product familiarity across the range.

Premier Elite Control Panels

Premier Elite 24 (Polymer)

- 8 Zones Expandable To 24
- 2 Areas
- 25 User Codes
- 500 Event Log Time & Date Stamped
- Plug-on Digimodems



Premier Elite 24 (Metal)

- 8 Zones Expandable To 24
- 2 Areas
- 25 User Codes
- 500 Event Log Time & Date Stamped
- Plug-on Digimodems



Premier Elite 48

- 8 Zones Expandable To 48
- 4 Areas
- 50 User Codes
- 500 Event Log Time & Date Stamped
- Plug-on Digimodems



Premier Elite 88

- 8 Zones Expandable To 88
- 8 Areas
- 100 User Codes
- 1000 Event Log Time & Date Stamped
- Plug-on Digimodems



Premier Elite 168

- 8 Zones Expandable To 168
- 16 Areas
- 200 User Codes
- 2000 Event Log Time & Date Stamped
- Plug-on Digimodems



Premier Elite 640





- Expandable To 640 Zones
- 64 Areas
- 500 User Codes
- 5000 Event Log Time & Date Stamped
- Plug-on Digimodems



New Features

Feature	Benefit
Energy efficient control panels	The Premier Elite range of control panels have built in switch mode power supplies which are 80% efficient, providing savings of more than 40% in running costs compared to linear power supplies.
Increased processing power	Texecom have significantly upgraded the processing power to enhance functionality and enable faster implementation of new features.
Single Premier Elite software platform	The Premier Elite 24 and Premier Elite 640 share the same code platform as the Premier Elite 48, 88 and 168. All future product enhancements across the range will happen simultaneously, all peripheral equipment will work across all control panels and, most importantly, customers familiar with one control panel will be familiar with the entire range.
Premier Elite 24 with two areas	With Ricochet mesh technology making wireless signalling reliable over longer distances, adding an extra area to the Premier Elite 24 is perfect for wirelessly protecting outbuildings such as garages, outhouses etc.
Extra user codes	The number of available user codes has doubled on all Premier Elite Series control panels.
Premier Elite 640 with 64 true areas	Area profiles have been removed from the Premier Elite 640, which now uses the same programming methodology as the rest of the Premier Elite Series. This significantly improves the usability of the product and allows any installer familiar with Premier Elite control panels to use the Premier Elite 640 without any additional training.
Greater Scalability	Premier Elite control panels can accept multiple Ricochet MT2 capable wireless expanders increasing the wireless device capacity.
Increased Wireless Keyfob Users	With Ricochet MT2 and Premier Elite control panels the keyfobs are now assigned to users and no longer take up device slots on wireless expanders. This dramatically increases the number of wireless keyfobs available on each system.

Scalability

	Keypads	Max. No. of Zones	Areas	User Codes
				
Premier Elite 24	4	24	2	25
Premier Elite 48	4	48	4	50
Premier Elite 88	8	88	8	100
Premier Elite 168	16	168	16	200
Premier Elite 640	64	640	64	500

Features & Functions

Premier Elite Control Panels	Premier Elite 24	Premier Elite 48	Premier Elite 88	Premier Elite 168	Premier Elite 640
Number Of Zones (Onboard)	8	8	8	8	0
8 Zone Expanders	2	4	8	16	64
Event Log Time & Date Stamped	500	500	1000	2000	5000
SMS Text Messaging	•	•	•	•	•
Plug On Digimodem/ISDN Digimodem	•	•	•	•	•
Single Pole Zone Wiring	•	•	•	•	•
Double Pole Wiring	•	•	•	•	•
End Of Line Wiring	•	•	•	•	•
Part Sets (Per Area)	3	3	3	3	3
Programmable Outputs (Control Panel)	9	10	13	13	13
Multi Format Communication Protocols	•	•	•	•	•
Remote & Local Upload/Download	•	•	•	•	•
Printer Output	•	•	•	•	•
Conventional Fire Detector Compatible	•	•	•	•	•
EN 50131-1	Grade3 †	Grade3	Grade3	Grade3	Grade3
EN 50131-3	Grade3 †	Grade3	Grade3	Grade3	Grade3

† Grade 2 in Polymer Housing

Premier Elite Keypads



The Premier Elite range of blue-backlight LCD keypads excel in any surroundings. With stunning looks and features to match, experience nothing but the very best in keypad design. Ideal for luxury homes and high value premises, these keypads can be used with both Premier Series and Premier Elite Series control panels.

Premier Elite Keypads



Premier Elite LCDLP

Remote keypad with large 32 character LCD display. Incorporates 2 DP or EOL zones, 1 programmable output and a built-in proximity tag reader.

Premier Elite Flush & Surface Mount

Flush and surface mount keypad options. Large blue LCD screen with touchtone backlit keys. Built-in proximity tag reader. Polished chrome, Satin chrome, Diamond White, Polished Brass, Gunmetal and Diamond Black finishes available.



Polished Chrome



Satin Chrome



Diamond White



Polished Brass



Gunmetal



Diamond Black

Premier Elite Expanders



A complete range of expansion modules providing superior design flexibility and increased system options. Premier Elite expanders are ideal for commercial-grade security systems or demanding installations where scalability is a requirement. All Premier Elite expanders are compatible with Premier Elite control panels; a selection is also compatible with Premier Series control panels.

Premier Elite Expanders



Premier Elite 8XP

- Premier Elite Series Compatible
- 8 Additional Outputs
- 1 Auxiliary Input
- Speaker Driver



Premier Elite RM8

- Premier Elite Series Compatible
- Premier Series Compatible
- 8 Relay Outputs
- Remote Wired
- Plug-On - Premier Elite Series Only
(except Premier Elite 24 and Premier Elite 48-W)

Premier Elite OP16

- Premier Elite Series Compatible
- 16 Additional Outputs
- Remote Wired



Premier Elite 60iXD

- Premier Elite Series Compatible
- Premier Series Compatible
- 60 Additional Zones
- Remote Wired
- Plug-On (Local mode & Network mode)
- Expansion module providing two iD loops each supporting 30 iD biscuits.



Features & Functions

Premier Elite Expanders	Premier Elite 8XP	Premier Elite OP16	Premier Elite RM8	Premier Elite 60iXD
Premier Elite Series Compatible	•	•	•	•
Premier Series Compatible			•	•
Additional Zones	8			60
Additional Outputs	8	16		
Auxiliary Inputs	1			
Speaker Driver	•			
Relay Outputs			8	
Remote Wired	•	•	•	•
Plug-On			•	•
EN 50131-1	Grade3	Grade3	Grade3	Grade3
EN 50131-3	Grade3	Grade3	Grade3	Grade3

Premier Elite Communicators



Premier Elite communicators provide reliable, flexible and interchangeable signaling options. A variety of protocols, interface formats and multi-path transmission routes guarantees a communication solution to suit any installation requirement. Premier Elite communicators are used with Premier Elite control panels, with some models also compatible with Premier Series control panels.

Premier Elite Communicators



Premier Elite Com300

Plug-on multi-protocol digital communicator/ 300-baud modem. Enables full upload/download & system programming diagnostics.



Premier Elite ComIP

Allows connection from the Premier/Premier Elite Series control panels to a Local or Wide Area Network (LAN/WAN). This allows alarms to be signalled over an IP network to an alarm receiving centre via Texecom's Montex Software.

Premier Elite Com2400

Plug-on multi-protocol digital communicator/ 2400-baud modem enabling SMS text messaging. Enables full upload/download & system programming diagnostics.



Premier Elite ComGSM

Provides SMS text messaging for communication of alarm events, remote control & remote diagnostics.



Features & Functions


Premier Elite Communicators	Com300	Com2400	ComGSM	ComIP
Premier Elite Series Compatible	•	•	•	•
Premier Series Compatible				•
Modem Speed (Baud)	300	2400	4800	19200
SMS Text Facility		•	•	
ATS Class	2	2	4	4
EN 50131-1	Grade3	Grade3	Grade3	Grade3
EN 50136-2-3	Grade3	Grade3	Grade3	Grade3

Premier Elite Power Supplies



Energy efficient switch mode power supplies with universal voltage input for use around the world. Available as stand-alone or with integrated zone expansion, Premier Elite power supplies are high quality, reliable units suitable for commercial and industrial use.

Premier Elite Power Supplies



Premier Elite PSU200

Energy efficient 2.5A switch mode power supply. Full monitoring & Diagnostics with Premier Elite Control Panels.

Premier Elite PSU200XP

Energy efficient 2.5A switch mode power supply with Premier Elite 8XP expander. Full monitoring & Diagnostics with Premier Elite Control Panels.



Premier Elite Access Control



Premier Elite iProx

Provides support for Texecom proximity tags & other standard 26 bit wiegand readers. Tags can be learnt & stored locally with the controller in stand-alone mode, allowing the unit to be used as a single door access controller.

Premier Elite iProx & External Prox Kit:



Premier Elite iProx

Provides support for Texecom proximity tags & other standard 26 bit wiegand readers. Tags can be learnt & stored locally with the controller in stand-alone mode, allowing the unit to be used as a single door access controller.

Premier Elite External iProx Coil

When used in conjunction with the Premier Elite iProx & Texecom Proximity Tags allows the user to disarm the system externally. The unit can also be used as a single door access controller, by using it as a stand alone module with the Premier Elite iProx.



Premier Elite Motion Detectors



Inspired by a design philosophy of contemporary styling combined with the most advanced detection performance, the Premier Elite Series is intended for those who demand the very best.

Premier Elite Anti-Masking Detectors



Premier Elite AMQD

Grade 3 anti-masking digital quad PIR. Genuine quad element detection provides exceptional performance. Active IR anti-masking, Triple End-Of-Line (T-EOL) signalling, wall tamper detection and local & remote test facilities.



Premier Elite AMDT

Grade 3 anti-masking digital dual technology detector. Features fully adjustable microwave range and digital PIR temperature compensation. Active IR anti-masking, Triple End-Of-Line (T-EOL) signalling, wall tamper detection and local & remote test facilities.

Premier Elite AM360 QD

Grade 3 anti-masking digital quad PIR. Omni-directional quad element pyro for true 360° Coverage. Active IR anti-masking, Triple End-Of-Line (T-EOL) signalling, ceiling tamper detection and local & remote test facilities.



Premier Elite Mirrored Detectors



Premier Elite MR

Digital PIR with mirrored optics. Advanced optical system and digital signal processing guarantee exceptional catch-performance. 40m long range version also available.

Premier Elite Interchangeable Detectors



Premier Elite IR

High immunity PIR with interchangeable electronics module. Multi mode digital pulse count maximises detector performance. ICC™ (Intruder Confirmation Circuitry) ensures false alarm immunity from RF, lightning and mobile phones.



Premier Elite QD

Quad element digital PIR with interchangeable electronics module. Genuine quad detection provides additional stability for harsh environments. Features advanced microprocessor design and digital temperature compensation.



Premier Elite TD

Twin dual element PIR with interchangeable electronics module. Two dual element sensors provide exceptional stability, ideal for commercial applications. Features advanced microprocessor design and digital temperature compensation.



Premier Elite DT/CW

Digital dual technology detector with interchangeable electronics module. X-band doppler, adjustable microwave range, digital temperature compensation and advanced signal processing ensures maximum false alarm immunity. CloakWise™ (CW) version also available.

Event Driven CCTV Detectors



Premier Elite Orbit DT

Dual technology detector provides enhanced protection in particularly hostile environments. The detection element is fully adjustable through 180° with a 90° tilt. This provides a 10° to 70° detection angle with a maximum of 30m coverage. Mounting height is up to 6 metres.



Premier Elite Orbit QD

Quad element detector suitable for most applications. The detection element is fully adjustable through 180° with a 90° tilt. This provides a 10° to 70° detection angle with a maximum of 30m coverage. Mounting height is up to 6 metres.

Features & Functions

Premier Elite Motion Detectors	IR	QD	TD	DT/CW	MR	AMQD	AMDT	AM360 QD
Detection Range (m/ft)	15/50	15/50	15/50	15/50	15/50	15/50	15/50	11/35
Mounting Brackets Available	•	•	•	•	•	•	•	N/A
Temperature Compensation	•	Digital	Digital	Digital	Digital	Digital	Digital	Digital
Pulse Count	Digital	Digital	Digital	Digital	Digital	Digital	Digital	Digital
Microprocessor Technology		•	•	•	•	•	•	•
Interchangeable PCB Module	•	•	•	•	•	•	•	
Active IR Anti-Masking						•	•	•
Mirrored Optics					•			
Multiple LED Indication		•	•	•		•	•	•
EN 50131-1	Grade2	Grade2	Grade2	Grade2	Grade2	Grade3	Grade3	Grade3
EN 50131-2-2	Grade2	Grade2	Grade2	N/A	Grade2	Grade3	N/A	Grade3
EN 50131-2-4	N/A	N/A	N/A	Grade2	N/A	N/A	Grade3	N/A

Premier Elite External Sounders



Premier Elite Odyssey sounders combine high output audible and visual alarm signaling with EN Grade 3 level diagnostics and fault monitoring. Designed for high-risk applications, the Premier Elite Odyssey sounders are available in a variety of shapes to cater for different application requirements.


- 115 dB Twin Piezo Sounders
- IP65 Sealed Electronics Module
- Wall, Lid & Screw Tamper
- Advanced Microprocessor Technology
- Patented Engineer Hold-off Mode
- Battery Monitoring with Fault Output
- Alternating Twin LED Indication
- Polycarbonate Construction
- Range of Colours Available
- Screen Printing Available
- EN50131-1, EN50131-4 Grade 3 Class IV

Features & Functions



Low Current (LC) Mode

Selecting low current mode enables a reduction in current drawn from the control panel, to allow installation of additional external sounders.



Triple Tamper Detection

Lid, wall and screw tamper detection provides maximum security. Texcom's proprietary wall tamper mechanism ensures reliability with excellent responsiveness. Screw tamper provides the earliest possible indication of unauthorised access to the unit.



IP65 Sealed Electronics Module

The advanced electronic module is protected by a robust inner cover assembly with gasket seal. This increases protection from dust and moisture, sealing to IP65 rating which enables prolonged exposure to harsher environments without compromising performance or functionality.



Patented Engineer Hold-off Mode

Installation and maintenance is made quick, simple and safe by a revolutionary patented safety engineer hold-off mode. On power-up the hold-off mode is automatically enabled, preventing the unit from sounding until the tamper circuit is secure. This enables "one trip up the ladder" installation. Hold-off mode can be re-invoked at any time from the control panel, ensuring easy maintenance and verification.

Premier Elite Odyssey 1



Premier Elite Odyssey 2



Premier Elite Odyssey 3



Premier Elite Odyssey 4



Premier Elite Odyssey 5



Premier Elite Odyssey 5 Compact



Premier Elite Wireless



Introducing the next generation of wireless security, Texecom's new Ricochet mesh networking wireless technology delivers more performance than any other wireless security system.

Ricochet enabled wireless devices receive and repeat wireless transmissions from other devices. The size, scalability and range of the entire system are extended as wireless signalling is no longer limited by point-to-point communications.

The range of a Ricochet enabled wireless system is greater than previous systems, with multiple devices capable of relaying messages to and from even the most remote locations in a building.




EASIER

Simple to setup, quick to install.




SMARTER

An intelligent system is a reliable system.



FURTHER

Greater range delivers greater protection.



Premier Elite Wireless



Ricochet MT2 capability is now included in Premier Elite control panels (V2.00 and higher) and Premier Elite XP-W expanders (V2.00 and higher).

Ricochet MT2 capability provides the following outstanding additional features:



Greater Scalability

Premier Elite control panels can accept multiple Ricochet MT2 capable wireless expanders increasing the wireless device capacity on every panel.

Premier Elite Control Panel	24	48	88	168	640
No. of Wireless Devices	16	32	64	128	512

Increased Wireless Keyfob Users

With Ricochet MT2 and Premier Elite control panels the keyfobs are now assigned to users and no longer take up device slots on wireless expanders.

Premier Elite Control Panel	24	48	88	168	640
No. of Keyfob Users	25	50	100	200	256



New 'Hybrid' Power Saving Mode

The 'Hybrid' mode provides the best of both worlds by increasing device responsiveness and reducing power consumption. In this mode, devices are deactivated when the system (or relevant area) is disarmed, and reactivated when the system (or area) is armed. A 'Global Poll' (patent pending) function updates all the wireless devices in a few seconds at the point of arming.

New Device Types

The Hybrid power saving mode has facilitated a new motion sensing device type, the Premier Elite DT-W. This wireless dual technology detector features all the performance characteristics of the acclaimed Premier Elite DT but in a Ricochet-enabled wireless form. In addition, new Ricochet enabled input/output modules are being developed that will allow any security device to signal wirelessly across a Ricochet mesh network system.



New Simplified Programming

Programming and commissioning has been simplified by integrating wireless setup directly into Premier Elite control panels. Wireless devices can be added or removed from the system directly from the zone programming menu. Wireless keyfobs can be added or removed directly from the user programming menu.

Remote Diagnostics

Texecom's Wintex upload/download software now integrates with Ricochet Monitor, allowing remote diagnostics of wireless system performance. With this integration, multiple wireless networks can be assessed, attributes configured and graphical representations of each mesh network can be diagnosed, all from within the Wintex profile. In addition, device zone allocations are shown from within the Ricochet Monitor diagnostics package, making system assessments even more intuitive and easier to use.



Premier Elite Wireless

"The highest rated intruder alarm system we have ever tested!" Benchmark July 2012 issue.



Premier Elite Wireless Panels & Expanders



Premier Elite 24-W

Wireless Control Panel

- Expandable To 24 zones
- 2 Areas
- 25 User Codes
- Accepts up to 32 Ricochet enabled wireless devices
- 500 Event Log Time & Date Stamped
- Plug-on Digimodems
- Suitable for Commercial Applications



Premier Elite 48-W

Wireless Control Panel

- Expandable To 48 zones
- 4 Areas
- 50 User Codes
- Accepts up to 32 Ricochet enabled wireless devices
- 500 Event Log Time & Date Stamped
- Plug-on Digimodems
- Suitable for Commercial Applications



Premier Elite 32XP-W

Wireless 32 Zone Expander

- Compatible with Texecom Premier Control Panels
- Wireless Monitor Software Diagnostics
- Engineers Keypad Connectivity
- Suitable for Commercial Applications



Premier Elite 8XP-W

Wireless 8 Zone Expander

- Compatible with Texecom Premier Control Panels
- Wireless Monitor Software Diagnostics
- Engineers Keypad Connectivity
- Suitable for Commercial Applications

Wireless Expansion

Ricochet Expansion Pack

Texecom's Ricochet Expansion Pack is the ideal way of adding additional security devices. Each pack includes a Premier 8XP-W wireless expander and a Premier IXP-W, a new 8-zone interface card that converts wireless devices into relay-driven wired outputs, providing up to 8 wireless device connections to any security system.



Premier Elite 8XP-W

Wireless 8 Zone Expander

- Compatible with Texecom Premier Control Panels
- Wireless Monitor Software Diagnostics
- Engineers Keypad Connectivity
- Suitable for Commercial Applications



Premier Elite IXP-W

- 8 zone wireless interface card with voltage free relay outputs

Premier Elite SmartKey & Premier Elite DT-W are not currently supported by the Ricochet Expansion Pack

Premier Elite Wireless Detectors



Premier Elite SmartKey

Wireless Iconic Keyfob

- Remote Arm, Part Arm and Disarm
- Alarm System Status Display
- Typical 2 to 3 Year Battery Life
- Suitable for Commercial Applications



Premier Elite DT-W

Wireless Dual Technology Detector

- 15m Volumetric Coverage
- Typical 2 to 3 Year Battery Life
- Suitable for Commercial Applications
- Fully Adjustable K-band Microwave Detection
- Only Compatible with Ricochet MT2 Capable Systems.



Premier Elite QD-W

Wireless Digital Quad Detector

- 15m Volumetric Coverage
- Typical 2 to 3 Year Battery Life
- Suitable for Commercial Applications



Premier Elite Impaq Plus-W

Wireless Shock Sensor

- Includes Optional Magnetic Contact
- Typical 2 to 3 Year Battery Life
- Suitable for Commercial Applications
- Brown Casing Available



Premier Elite XT-W

Wireless Digital Detector

- 15m Volumetric Coverage
- Typical 2 to 3 Year Battery Life
- Suitable for Commercial Applications



Premier Elite Impaq Contact-W

Wireless Magnetic Contact

- Includes 2 Optional Hard Wired Inputs
- Typical 2 to 3 Year Battery Life
- Suitable for Commercial Applications
- Brown Casing Available

PC Software


Ricochet Monitor

Ricochet Monitor software provides greater visibility and control over wireless system performance than ever before.

From a simple, intuitive menu screen all device status is available at a glance, with clear graphics highlighting signalling performance. Device attributes can be configured and distributed across the network in seconds thanks to an innovative 'global poll' function that communicates to all devices within moments.

Where the Ricochet Monitor software really excels is with the graphical representation of the mesh-networking system. The system literally 'comes alive' when the graphical function is selected. Each device is shown on screen, in real time, placed according to where the device communicates across the network. It is instantly visible and clear which routes communication signals are taking and the overall network performance is demonstrated.

With the power of the graphical user interface, even complex systems can be diagnosed simply, providing confidence that the communication platform is robust and reliable.



Premier Control Panels



Highly configurable and communicating control panels for medium sized installations that require a quality, professional security solution. Featuring a myriad of programming options and configuration settings, Premier control panels can be tailored to suit a wide variety of applications.

Premier Control Panels



Premier 412

- 4 Zones Expandable To 12
- 2 Partitions
- 32 User Codes
- Integrated Communicator
- Wireless Expansion

Premier 816

- 8 Zones Expandable To 16
- 4 Partitions
- 32 User Codes
- Integrated Communicator
- Wireless Expansion



Premier 816 Plus

- 8 Zones Expandable To 16
- 4 Partitions
- 32 User Codes
- Integrated Communicator
- Wireless Expansion
- Remote Control

Premier 832


- 8 Zones Expandable To 32
- 4 Partitions
- 64 User Codes
- Integrated Communicator
- Wireless Expansion
- Remote Control







Premier Speech Module

- Four recordable 12 second audio messages
- Messages assigned to alarm channels
- Compatible with Premier 816 Plus and 832 control panels

System Architecture



Scalability

	Keypads	Max. No. of Zones	Areas	User Codes
				
Premier 412	6	12	2	32
Premier 816	6	16	4	32
Premier 816 Plus	6	16	4	32
Premier 832	6	32	4	64

Features & Functions

Premier Control Panels	Premier 412	Premier 816	Premier 816 Plus	Premier 832
Number Of Zones (Onboard)	4	8	8	8
8 Zone Expanders	1	1	1	3
Plug On Local Expander	•	•	•	•
Remote Zone Doubling Feature (on-board zones only)	1	1	1	3
Zone Doubling Feature (on-board zones only)	•	•	•	•
Auxiliary Tamper Zone	•	•	•	•
Event Log (Time & Date Stamped)	750	750	750	1000
LED Remote Keypads	•	•	•	•
LCD Remote Keypads	•	•	•	•
Supervised Outputs	OP1/2 & Siren/Bell	OP1/2 & Siren/Bell	OP1/2 & Siren/Bell	OP1/2 & Siren/Bell
Programmable Outputs (Control Panel)	8	8	8	8
EN 50131-1	Grade2	Grade2	Grade2	Grade2
EN 50131-3	Grade2	Grade2	Grade2	Grade2

Premier Keypads



A range of high performance LCD and LED keypads featuring intuitive operation, ergonomic design, touchtone backlit keys and a host of innovative features. Premier Series keypads offer exceptional functionality for a wide variety of applications and can be used with Premier Series and Premier Elite Series control panels.

Premier Keypads



RKP4/8/16

4, 8 and 16 zone LED remote keypads compatible with Premier Series control panels.

RKP8Plus/16Plus

8 & 16 zone LED remote keypads incorporating 2 EOL zones, compatible with Premier Series control panels.



LCD / LCDP

Remote keypads with standard 32 character LCD display. Incorporates 2 DP or EOL zones and 1 programmable output. LCDP features built-in proximity tag reader.

LCDL / LCDLP

All the features of the LCD/LCDP plus large 32 character LCD and a speaker driver output for programmable volume control. LCDLP features built-in proximity tag reader.



Features & Functions

Premier Keypads	RKP 4/8/16	RKP 8 Plus/16 Plus	LCD/LCDP	LCDL/LCDLP
Premier Elite Series Compatible			•	•
Premier Series Compatible	•	•	•	•
Display	LED	LED	Green LCD	Green LCD
Touchtone Keys	•	•	•	•
Backlighting	•	•	•	•
Additional Zones		2	2	2
Programmable Outputs			1	1
Extension Speaker				•
Proximity Keypad Option			LCDP	LCDLP
EN 50131-1	Grade2	Grade3	Grade3	Grade3
EN 50131-3	Grade2	Grade3	Grade3	Grade3

Premier Expanders



Premier expanders offer a choice of remote or local zone expansion for the exclusive use with Premier Series control panels. Ideal for professional medium sized installations, Premier expanders are easy to configure and offer a reliable and effective option for system expansion.

Premier Expanders



Premier 8X

Remote Zone Expander for use with Premier Series control panels. Provides an additional 8 programmable EOL zones, 2 programmable outputs and a speaker driver output with programmable volume control.



Premier 8XE

Local plug-on Zone Expander for use with Premier Series and Premier Elite 24 control panels. Provides an additional 8 programmable EOL zones.

Features & Functions

Premier Expanders	Premier 8X	Premier 8XE
Premier Elite Series Compatible		•††
Premier Series Compatible	•	•
Additional Zones	8	8
Additional Outputs	2	
Speaker Driver	•	
Remote Wired	•	
Plug-On		•
EN 50131-1	Grade2	Grade2
EN 50131-3	Grade2	Grade2

††Premier Elite 24 only

Premier Motion Detectors



The Premier Compact Series of motion detectors features miniature, discreet styling and a selection of sensing technologies. Perfect for premium residential, retail or small commercial applications.

Premier Motion Detectors



Premier Compact IR

Miniature detector

- 12m volumetric range
- Interchangeable lens library
- Built-in EOL resistors
- Mounting height alignment
- Temperature Compensation



Premier Compact XT

Miniature digital detector

- 15m volumetric range
- Digital signal processing
- Interchangeable lens library
- Built-in EOL resistors
- Mounting height alignment
- Digital temperature compensation
- Remote LED disable



Premier Compact QD

Miniature digital quad detector

- 15m volumetric range
- Digital quad element detection
- Interchangeable lens library
- Built-in EOL resistors
- Mounting height alignment
- Digital temperature compensation
- Remote LED disable



Premier Compact PW

Miniature pet immune digital detector

- 12m volumetric range
- Digital signal processing
- Up to 35Kgs (77lbs) pet immunity
- Built-in EOL resistors
- Mounting height alignment
- Digital temperature compensation
- Remote LED disable

Premier Ceiling Mount Detectors



Premier 360 QD

- Detection Range 11/35 (m/ft)
- Selectable Pulse Count
- Sealed Optics
- Digital Microprocessor Technology
- Omni-directional Quad Element Pyro For True 360° Coverage



Premier 360 DT

- 9.3m coverage pattern
- 3.6m maximum mounting height
- Omni-directional quad pyro sensing
- K-band microwave detection
- Digital microprocessor technology
- Conforms to EN50131-2-4 requirements



Premier Outdoor Security Detectors



Premier External TD

- Dual, Over-Lapping, Digital PIR
- Adjustable optics and adjustable sensitivity
- Digital temperature compensation
- IP65 sealed enclosure
- Day/night mode and high white light immunity
- Quick and simple to install
- Mounting Height: 1.0-1.4m, 1.2m nominal
- Dimensions: 250mm x 86.5mm x 87mm
- Pole bracket available separately

Features & Functions

Detectors	Premier C.IR	Premier C.XT	Premier C.QD	Premier C.PW	Premier 360 QD	Premier 360 DT	Premier External TD
Detection Range (m/ft)	12/40	15/50	15/50	12/40	11/35	11/35	12/40
Temperature Compensation	•	Digital	Digital	Digital	Digital	Digital	Digital
Pulse Count	•	Digital	Digital	Digital	Digital	Digital	Digital
Microprocessor Technology		•	•	•	•	•	•
Mounting height alignment	•	•	•	•			
Sealed Optics	•	•	•	•	•	•	•
Miniature Housing	•	•	•	•			
Multiple LED Indication					•	•	•
Pet Immunity				•			
EN 50131-1	G2	G2	G2	G2	G2	G2	G2
EN 50131-2-2	G2	G2	G2	G2	G2	N/A	N/A
EN 50131-2-4	N/A	N/A	N/A	N/A	N/A	G2	G2

Premier Perimeter Detectors



The Premier Series offers a range of intelligent perimeter detection devices. With both acoustic and vibration detection options, Premier Series perimeter detectors offer additional security by detecting would-be intruders before entry is gained to the protected premises.

Premier Perimeter Detectors



Premier Impaq Plus

- Detection Type: Vibration
- Adjustable Sensitivity
- Engineer Setup
- Detection/Disable/Comfort LED
- Microprocessor Technology
- First To Alarm & Latch Input
- Digital Signal Processing
- Advanced Signal Processing Algorithms
- Available in Brown
- Grade 2 EN 50131-1



Premier Impaq Plus with Magnetic Contact

- Detection Type: Vibration/Magnetic
- Adjustable Sensitivity
- Engineer Setup
- Detection/Disable/Comfort LED
- Microprocessor Technology
- First To Alarm & Latch Input
- Digital Signal Processing
- Advanced Signal Processing Algorithms
- Available in Brown
- Grade 2 EN 50131-1, EN 50131-2-6



Premier Impaq Glass Break

- Detection Type: Acoustic
- Suited for plate, tempered, laminated & wired glass types
- Adjustable Sensitivity
- Engineer Setup
- Detection/Disable/Comfort LED
- Microprocessor Technology
- First To Alarm & Latch Input
- Digital Signal Processing
- Advanced Signal Processing Algorithms
- Grade 2 EN 50131-1, EN 50131-2-6

Premier External Sounders



Based on the fully featured Premier Elite Odyssey sounders, the Premier Odyssey E audible and visual alarm signaling devices are perfect for protecting premises that require maximum-security whilst optimising value.

- 109 dB Single Piezo Sounder
- IP44 Sealed Electronics Module
- Lid and Wall Tamper
- Advanced Microprocessor Technology
- Patented Engineer Hold-off Mode
- Alternating Twin LED Indication
- Polycarbonate Construction
- Range of Colours Available
- Screen Printing Available
- EN50131-1, EN50131-4 Grade 2 Class IV

Premier External Sounders



Premier Odyssey 1E



Premier Odyssey 2E



Premier Odyssey 3E



Premier Odyssey 4E



Premier Odyssey 5E




Premier
Odyssey 5E Compact

Veritas Control Panels



The best selling Veritas control panels are ideal for residential and light commercial applications due to a winning combination of simplicity, reliability and ease of use. With an intuitive user interface, ergonomic design and innovative design features, it is easy to see why Veritas control panels already protect millions of people.

Veritas Control Panels



Veritas 8 Compact

Slimline, discreet stand alone control panel. Features 8 fully programmable zones and accepts up to 6 backlit remote keypads.



Veritas 8

Best selling stand alone control panel. Features 8 fully programmable zones and accepts up to 6 backlit remote keypads.



Veritas R8

Best selling control panels with remote keypad. Features 8 fully programmable zones and accepts up to 6 backlit remote keypads.



Veritas R8 Plus

Veritas R8 with additional features including EOL wiring, communicator interface and accepts Veritas Excel LCD keypads.



Veritas Excel


All the features of the Veritas R8 Plus including an LCD keypad for even easier programming and operation.

Features & Functions



8 Fully Programmable Zones Plus Tamper

All the Veritas control panels feature 8 fully programmable zones plus an additional global system tamper. Each zone operates in any of the 8 different zone types ensuring exceptional system flexibility.



8 Channel Communicator Interface with Line Monitor

With an on-board 8 channel communicator interface, the Veritas Excel & Veritas R8 Plus can be used in conjunction with other signalling equipment as part of a compliant monitored alarm.



Universal Programming Platform

Each Veritas control panel utilises the same intuitive programming platform as the rest of the Veritas Series, ensuring instant product familiarity across the range.

Features & Functions

Veritas Control Panels	Veritas 8	Veritas 8 Compact	Veritas R8	Veritas R8 Plus	Veritas Excel
8 Fully Programmable Zones Plus Tamper	•	•	•	•	•
8 Channel Communicator Interface With Line Monitor				•	•
Service Timers (Date Programmable)	•	•	•	•	•
Part Sets	2	2	2	4	4
Programmable Access Codes	2	2	2	8	8
Keypad PA Option (Press 3 & 9 Together)	•	•	•	•	•
Accepts Up To Six Backlit Remote Keypads	LED	LED	LED	LED/LCD	LED/LCD
Single Button Quick Set Option	•	•	•	•	•
Latching Walk Test Mode	•	•	•	•	•
Engineer Event Log	7	7	7	250	250
Key Switch Facility	•	•	•	•	•
Quiet Entry Tone On Part Set	•	•	•	•	•
EOL Zone Wiring				•	•
Local Upload/Download†				•	•

Veritas Keypads



Wonderfully simple and easy to use, Veritas keypads remove the complexity often associated with security systems, ensuring that end-users feel confident in operation and can use the system appropriately. Perfect for residential premises, these keypads are exclusively used with Veritas Series control panels.

Veritas Keypads Panels



Veritas RKP

LED keypad for use with any Veritas control panel. Features 8-zone LED indication, touch-tone backlit keys, removable hinged PCB chassis for simple installation and ergonomic design for ease of use.



Veritas Excel RKP

LCD keypad for use with Veritas Excel and Veritas R8 Plus control panels. Features a 32-character LCD display, programmable zone and banner text, direct access to the 250 event log, simplified programming and ease of operation. Can also be used as an engineer's programming tool.

Veritas Detectors



Veritas motion detectors provide exceptional reliability and detection performance for cost sensitive domestic installations. With over 10 million installations in over 85 countries, Veritas Series detectors continue to deliver outstanding performance time and again.

The Veritas Impaq E is a cost-effective vibration detector with class-leading performance and exceptional immunity to false alarm sources. Perfect for residential use, the Veritas Impaq E provides a security upgrade option for doors and windows.

Veritas Motion Detectors

Veritas Reflex



- 12m Volumetric Coverage
- Interchangeable Lens Library
- EN 50131 Grade 2
- Adjustable Mounting Height
- Improved Temperature Compensation Profile
- 50v/m Rf Immunity
- Sealed Optics
- 98° Coverage

Veritas Medusa



- 12m Volumetric Coverage
- Interchangeable Lens Library
- EN 50131 Grade 2
- Adjustable Mounting Height
- Improved Temperature Compensation Profile
- 50v/m Rf Immunity
- Sealed Optics
- 98° Coverage

Veritas Perimeter Detectors

Veritas Impaq E



- Detection Type: Vibration
- Adjustable Sensitivity
- Engineer Setup
- Detection LED
- LED Disable
- Available in Brown

Fire Detectors



With a range of different detection and alarm criteria, the Exodus Series offers a complete heat and smoke sensing solution for even the most diverse of installations. Featuring a heat enhanced optical multisensor for maximum detection performance plus a selection of heat detectors, all available for 12V security panel formats, this EN54 BSI Kitemark approved range of detectors offers comprehensive performance.

Fire Detectors



Exodus OH

Optical and heat multisensor. Heat enhancement ensures high sensitivity to fast burning fires whilst optical chamber provides exceptional false alarm immunity.



Exodus FT64

Fixed 64°C heat detector. Suitable for use where smoke or dust is prevalent with superior false alarm immunity.



Exodus RR

Rate of Rise heat detector. Suitable for use where smoke or dust is prevalent, with fastest heat detection performance.



Exodus FT90

Fixed 90°C heat detector. Suitable for use where smoke or dust is prevalent, ideal for extreme high ambient temperatures.

Features & Functions

Fire Detectors	Exodus OH	Exodus RR	Exodus FT64	Exodus FT90
12V/4-wire Operation With Alarm Relay	•	•	•	•
Microprocessor Technology	•	•	•	•
Digital Technology Detection Algorithms	•	•	•	•
Latch Input Enables Auto Reset Or Latching Operation	•	•	•	•
Alarm Situation Test Button	•	•	•	•
Optical & Thermal Detection For Optimum Sensitivity	•			
Digital Drift Compensation	•			
EN54-5 Compliant		•	•	•
EN54-7 Compliant	•			
Label Colour	BLUE	GREEN	ORANGE	RED

Software



Texecom aims to not only produce a portfolio of class-leading, high quality electronic security products, but to offer the highest levels of service and support in the industry. Texecom understands that for its customers to be successful, they need to maximise the potential of every product in order to offer the very best security service to existing and prospective customers.

Texecom's range of software products allows installers to do just that. With a complete range of solutions including upload/download, systems diagnostics, remote maintenance and alarm monitoring, Texecom security systems are easy to setup, configure, install and commission. In addition, Texecom provides regular firmware upgrades and enhancements for Premier Elite control systems. The Premier Elite Flasher Interface facilitates firmware upgrades, with new firmware versions being made available in the 'Support' section of the Texecom website.



Premier Elite Flasher Interface

The Premier Elite Flasher Interface can be used to update the control panels firmware, allowing additional features and functions to be added to existing systems.



Wintex Software

Texecom's user-friendly Windows™ based software, designed for use with the Premier control panels, provides complete upload/download and systems diagnostics for total control and flexibility.



Ricochet Monitor Software

Provides greater diagnostics and configuration control over wireless system setup than ever before. Delivers device status and attribute selection with real-time graphical representation of mesh-network wireless systems.



Montex Software

Software based alarm receiver interface for connecting with Premier Elite ComIP alarm signalling equipment. Supports fast format, contact ID and SIA communication protocols. Manages received polling information for each monitored site.



Texbase Software

Texbase is an alarm management software package designed for use in conjunction with the Premier Elite Com IP and Montex software, ideally suited to installers who wish to individually monitor their installed security systems for specific alarm signals.



Maintex Software

Remote maintenance software compatible with Premier Elite control panels. Automates remote maintenance procedure and provides database storage of maintenance information.

Peripherals

Premier Elite USB Modem

Designed specifically for use with Wintex UDL software and a PC to allow trouble free uploading/downloading with Premier Elite and Premier Series control panels.



Key-Fob Programmer

The Key-fob Programmer allows configuration data to be copied from one control panel to another. This reduces programming time and simplifies set-up of multiple system installations.



Premier Elite PC Com

Serial interface connector for connection between control panel and PC, enabling local upload/download.




Premier Elite USB Com

USB interface connector for connection between control panel and PC, enabling local upload/download..



Speech Dialler



The Texcom Speech Dialler enables communication of alarm information to 8 contacts, which can be either standard or mobile telephone numbers.

Speech Dialler



Speech Dialler

- 4 trigger inputs
- 4 voice messages up to 32 seconds in length



Speech & Text Dialler

- All the features of the Texcom Speech Dialler with additional SMS text messaging facility
- 4 text messages, each up to 32 characters in length

Product Compliance Tables

All Texecom products are designed to meet or exceed all relevant international security standards.

Product Range	Description	Standards
Control Panels	Premier Elite 24 Polymer	EN50131-1, EN50131-3 Grade 2 Class II
	Premier Elite 24 Metal	EN50131-1, EN50131-3 Grade 3 Class II
	Premier Elite 48	EN50131-1, EN50131-3 Grade 3 Class II
	Premier Elite 88	EN50131-1, EN50131-3 Grade 3 Class II
	Premier Elite 168	EN50131-1, EN50131-3 Grade 3 Class II
	Premier Elite 640	EN50131-1, EN50131-3 Grade 3 Class II
Expanders	Premier Elite 60IXD	EN50131-1, EN50131-3 Grade 3 Class II
	Premier Elite 8XP	EN50131-1, EN50131-3 Grade 3 Class II
	Premier Elite OP16	EN50131-1, EN50131-3 Grade 3 Class II
	Premier Elite RM8	EN50131-1, EN50131-3 Grade 3 Class II
Power Supplies	Premier Elite PSU200	EN50131-1, EN50131-3, EN50131-6 Grade 3 Class II
	Premier Elite PSU200XP	EN50131-1, EN50131-3, EN50131-6 Grade 3 Class II
Keypads	Premier Elite LCDLP	EN50131-1, EN50131-3 Grade 3 Class II
	Premier Elite FMK	EN50131-1, EN50131-3 Grade 3 Class II
	Premier Elite SMK	EN50131-1, EN50131-3 Grade 3 Class II
Communicators	Premier Elite ComIP	EN50131-1, ATS 4
	Premier Elite ComGSM	EN50131-1, ATS 4
	Premier Elite Com2400	EN 50136-2-3, ATS 2
	Premier Elite Com300	EN 50136-2-3, ATS 2
Detectors	Premier Elite AMQD	EN50131-1, EN50131-2-2 Grade 3 Class II
	Premier Elite AM360 QD	EN50131-1, EN50131-2-2 Grade 3 Class II
	Premier Elite AMDT	EN50131-1, EN50131-2-4 Grade 3 Class II
	Premier Elite IR	EN50131-1, EN50131-2-2 Grade 2 Class II
	Premier Elite QD	EN50131-1, EN50131-2-2 Grade 2 Class II
	Premier Elite DT	EN50131-1, EN50131-2-4 Grade 2 Class II
	Premier Elite TD	EN50131-1, EN50131-2-2 Grade 2 Class II
	Premier Elite CW	EN50131-1, EN50131-2-4 Grade 2 Class II
	Premier Elite MR	EN50131-1, EN50131-2-2 Grade 2 Class II
	Premier Elite Orbit QD	N/A
	Premier Elite Orbit DT	N/A
External Sounders	Premier Elite Odyssey 1	EN50131-1, EN50131-4 Grade 3 Class IV
	Premier Elite Odyssey 2	EN50131-1, EN50131-4 Grade 3 Class IV
	Premier Elite Odyssey 3	EN50131-1, EN50131-4 Grade 3 Class IV
	Premier Elite Odyssey 3 Metal	EN50131-1, EN50131-4 Grade 3 Class IV
	Premier Elite Odyssey 4	EN50131-1, EN50131-4 Grade 3 Class IV
	Premier Elite Odyssey 5	EN50131-1, EN50131-4 Grade 3 Class IV
	Premier Elite Odyssey 5 Compact	EN50131-1, EN50131-4 Grade 3 Class IV
Wireless	Premier Elite 24-W	EN50131-1, EN50131-3 Grade 2 Class II
	Premier Elite 48-W	EN50131-1, EN50131-3 Grade 2 Class II
	Premier Elite 8XP-W	EN50131-1, EN50131-3, EN50131-5-3 Grade 2 Class II
	Premier Elite 32XP-W	EN50131-1, EN50131-3, EN50131-5-3 Grade 2 Class II
	Premier Elite QD-W	EN50131-1, EN50131-2-2 Grade 2 Class II
	Premier Elite DT-W	EN50131-1, EN50131-2-4 Grade 2 Class II
	Premier Elite XT-W	EN50131-1, EN50131-2-2 Grade 2 Class II
	Premier Elite Impaq Plus-W	EN50131-1, EN50131-2-2 Grade 2 Class II
	Premier Elite Impaq Contact-W	EN50131-1, EN50131-2-6, EN50131-5-3 Grade 2 Class IV
	Premier Elite SmartKey	EN50131-1, EN50131-5-3 Grade 2 Class II

Product Range	Description	Standards
Control Panels	Premier 412	EN50131-1, EN50131-3 Grade 2 Class II
	Premier 816	EN50131-1, EN50131-3 Grade 2 Class II
	Premier 816 Plus	EN50131-1, EN50131-3 Grade 2 Class II
	Premier 832	EN50131-1, EN50131-3 Grade 2 Class II
Expanders	Premier 8X	EN50131-1, EN50131-3 Grade 2 Class II
	Premier 8XE	EN50131-1, EN50131-3 Grade 2 Class II
Keypads	Premier RKP4 Iconic	EN50131-1, EN50131-3 Grade 2 Class II
	Premier RKP8 Iconic	EN50131-1, EN50131-3 Grade 2 Class II
	Premier RKP16 Iconic	EN50131-1, EN50131-3 Grade 2 Class II
	Premier RKP8 Plus Iconic	EN50131-1, EN50131-3 Grade 2 Class II
	Premier RKP16 Plus Iconic	EN50131-1, EN50131-3 Grade 2 Class II
	Premier LCD	EN50131-1, EN50131-3 Grade 3 Class II
	Premier LCDL	EN50131-1, EN50131-3 Grade 3 Class II
	Premier LCDP	EN50131-1, EN50131-3 Grade 3 Class II
	Premier LCDLP	EN50131-1, EN50131-3 Grade 3 Class II
Detectors	Premier Compact IR	EN50131-1, EN50131-2-2 Grade 2 Class II
	Premier Compact XT	EN50131-1, EN50131-2-2 Grade 2 Class II
	Premier Compact PW	EN50131-1, EN50131-2-2 Grade 2 Class II
	Premier Compact QD	EN50131-1, EN50131-2-2 Grade 2 Class II
	Premier 360 QD	EN50131-1, EN50131-2-2 Grade 2 Class II
	Premier 360 DT	EN50131-1, EN50131-2-4 Grade 2 Class II
	Premier External TD Black	N/A
	Premier External TD White	N/A
Perimeter Protection	Premier Impaq Plus	EN50131-1 Grade 2 Class II
	Premier Impaq Plus with Contact	EN50131-1, EN50131-2-6 Grade 2 Class II
	Premier Impaq Glass Break	EN50131-1, EN50131-2-7 Grade 2 Class II
External Sounders	Premier Odyssey 1E	EN50131-1, EN50131-4 Grade 2 Class IV
	Premier Odyssey 2E	EN50131-1, EN50131-4 Grade 2 Class IV
	Premier Odyssey 3E	EN50131-1, EN50131-4 Grade 2 Class IV
	Premier Odyssey 4E	EN50131-1, EN50131-4 Grade 2 Class IV
	Premier Odyssey 5E	EN50131-1, EN50131-4 Grade 2 Class IV
	Premier Odyssey 5E Compact	EN50131-1, EN50131-4 Grade 2 Class IV

Product Range	Description	Standards
Control Panels	Veritas 8	EN50131-3 Grade 1 Class II
	Veritas 8 Compact	EN50131-3 Grade 1 Class II
	Veritas R8	EN50131-3 Grade 1 Class II
	Veritas R8 Plus	EN50131-3 Grade 2 Class II
	Veritas Excel	EN50131-3 Grade 2 Class II
Keypads	Veritas RKP	EN50131-3 Grade 2 Class II
	Veritas Excel LCD	EN50131-3 Grade 2 Class II
Detectors	Veritas Reflex	EN50131-1, EN50131-2-2 Grade 2 Class II
	Veritas Medusa	EN50131-1, EN50131-2-2 Grade 2 Class II
Perimeter Protection	Veritas Impaq E	EN50131-1 Grade 2 Class II

Product Range	Description	Standards
Fire Detectors	Exodus OH	EN54-7
	Exodus RR	EN54-5
	Exodus FT64	EN54-5
	Exodus FT90	EN54-5
Speech Diallyers	Speech Dialler	N/A
	Speech & Text Dialler	N/A

Texecom Website

Designed with a fresh innovative appearance and user friendly function, the new website has a greater emphasis on enhancing the user experience. One such example is the SUPPORT area; a section of the website dedicated solely for Texecom customers. Once logged in as a registered installer, users have access to all information and services available from Texecom including the online forum and branding scheme.

The new website will be updated on a regular basis, so look out for news of events, product launches and new content.




Texecom Forum

Texecom has launched a free online forum where customers and industry professionals can ask questions, discuss and learn about new developments from the company and within the security industry.

Between the knowledge, experience and expertise of the company's own staff and the community of security professionals, Texecom expects the new forum to offer an ideal platform for troubleshooting, problem solving, and keeping customers updated with the latest news that is important to them. The forum is already live at <http://texecom.websitetoolbox.com> with current hot topics including the 'evolution' of the company's product ranges.





Texecom

Security has evolved

Head Office:

Bradwood Court, St. Crispin Way, Haslingden, Lancashire, BB4 4PW England
Telephone: +44 (0)1706 220460 Facsimile: +44 (0)1706 223450
Email: intsales@texe.com techsupport@texe.com

www.texe.com

© Texecom Limited 2012 (LIT-0190)

A HALMA COMPANY