


Naming Rule




For example:DSS7016D,DSS7016DR,DSS-M7016DR



Let's see what features it has

DSS7016
























Costs saving



Hardware costs



Software costs



Device

Install the data disk







Key

Front Panel

HDD(500G)

Power cabel



Install the front panel










Let's see what functions it has

Operator Client









Here's What we can do

| | | | <u></u> | | | |
|--|---|--|---|--|--|---|
| Preview | Playback | Map | Audio talk | PTZ | Intelligent | Alarm |
| Local record Snapshot Tour monitor Matrix output Mode Switch Multi-stream Favorite and history | Record search Record mark Record download Multi-channel playback Play control | Alarm blinking Multilayer Device search Emap tool Google map | Broadcast Audio talk | PTZ Lock PTZ Control 3D intelligent position Auxiliary Function | Face recognition Intelligent tracking Behavior analysis People counting | Alarm schemeAlarm linkageAlarm orderAlarm searchAlarm real list |


Administrator








Let's see what performance it has




the performance listed above is for one device only

Transfer Capability is 700Mbps




the performance listed above is for one device only

Storage Capability is 700Mbps



the performance listed above is for one device only


How many users itasupportline at the same time?






Here's what we have improved






2000

Distribute



DSS clientB/S client/S client
Mobile phone client







Let's see how it works in a system

Requirements: Camera more than 2000 channels



